CONTENTS OF VOLUME 74

NUMBER 1—SEPTEMBER 1991

Theoretical study of some small van der Waals complexes containing inert gas atoms
By D. J. Wales 1

The structure of fluid fluoroform, chlorodifluoromethane, and dichlorodifluoromethane by neutron diffraction
By C. D. Hall, K. A. Johnson, A. N. Burgess, N. Winterton and W. S. Howells ... 27

Vapour–liquid equilibria of the hard core Yukawa fluid
By B. Smit and D. Frenkel 35

Novel scheme to compute chemical potentials of chain molecules on a lattice
By G. C. A. M. Mooij and D. Frenkel 41

The $\tilde{B}^1E''$ state of NH_3: the Jahn–Teller effect revealed by infrared–optical double resonance
By J. M. Allen, M. N. R. Ashfold, R. J. Stickland and C. M. Western 49

Phase transitions and molecular motions in crystalline *ortho*- and *meta*-carborane
By E. C. Reynhardt and S. Froneman 61

Second virial coefficients for nonspherical molecules: a 'convex peg in a round hole' potential
By G. T. Evans and E. B. Smith 79

A van der Waals theory of nematic liquid crystals: a 'convex peg in a round hole' potential
By B. Tjipto-Margo and G. T. Evans 85

The $1s\sigma_g$ and $2p\sigma_u$ states of the H_2^+, D_2^+ and HD^+ ions
By L. Wolniewicz and T. Orlikowski 103

On the dynamics of pulsed and continuous wave laser–molecule interactions and the effects of permanent dipoles
By A. E. Kondo and W. J. Meath 113

On the dipole polarizability of HCl
By G. Maroulis 131

Nebula boundary conditions in Monte Carlo simulations
By J. Kolafa 143

The equation of state of soft repulsive spherical molecules
By U. K. Deiters 153

A bridge between Fischer and Boublik thermodynamic perturbation theories: calculating thermodynamic properties of pure substances
By P. Padilla, S. Lago and C. Vega 161

Path-integral and effective potential Monte Carlo simulations of liquid nitrogen, hard-sphere and Lennard-Jones potentials
By L. M. Sesé 177

BHS theory and computer simulations of linear heteronuclear triatomic hard-sphere molecules
By M. D. Amos and G. Jackson 191

On the correlation factor of pure polar fluids whose molecules dimerize to nonpolar dimers
By E. R. Mognaschi, L. M. Laboranti and A. Chierico 211

NUMBER 2—OCTOBER 1991

Editorial 217

Optimized heteronuclear cross polarization in liquids
By M. Ernst, C. Griesinger and R. R. Ernst 219

An accurate integral equation for molecular fluids. III. Hard linear homonuclear triatomics
By R. Pospíšil, A. Malijevský, S. Labík and W. R. Smith 253

An accurate integral equation for molecular fluids IV. Hard prolate spherocylinders
By S. Labík, A. Malijevsky, R. Pospíšil and W. R. Smith 261

New determination of the He–Xe gas–gas demixing surface in the high Xe concentration region
By A. Filabozzi and P. Postorino 273

The r_s structure of cyclobutane from its dipolar couplings
By A. L. Esteban and M. P. Galache 283

Two-dimensional NMR studies of the conformational B → Z transition in the oligodeoxynucleotides $d(CG)_8$ and $d(m^5CG)_8$
By J. Weber and A. Wokaun 293

A triplet correlation function for Lennard-Jones fluids
By M. Fushiki 307

Properties of the square-well fluid of variable width. IV. Molecular dynamics test of the van der Waals and long-range approximations
By A. L. Benavides, J. Alejandre and F. Del Rio 321

An *ab initio* molecular orbital study of the anions $O_2^- \cdot H_2O$ and $O_2^- \cdot CO_2$
By E. P. F. Lee and J. M. Dyke 333

Comments on thermodynamic integration methods for the determination of nonequilibrium entropy
By A. Baranyai and D. J. Evans 353

A modified Poisson–Boltzmann analysis of the electric double layer around an isolated spherical macroion
By C. W. Outhwaite and L. B. Bhuiyan 367

A Monte Carlo simulation study of the disjoining pressure in thin fluid films sterically stabilized by terminally attached chains
By L. J. Gallego, C. Rey and M. J. Grimson 383

A self-consistent theory of the effective interactions in charge-stabilized colloidal dispersions
By M. J. Grimson and M. Silbert 397

Liquid crystal phase diagram of the Gay–Berne fluid
By E. De Miguel, L. F. Rull, M. K. Chalam and K. E. Gubbins 405

Effective pair potentials in liquid metals. A comparative study for liquid lead
By Z. A. Rycerz and P. W. M. Jacobs 425

Numerical solution of the HNC equation for fluids of non-spherical particles. An efficient method with application to dipolar hard spheres
By M. Kinoshita and M. Harada 443

Preliminary Communication

The infrared spectrum of the TeD radical by laser magnetic resonance
By J. P. Towle and J. M. Brown 465

NUMBER 3—20 OCTOBER 1991

Editorial 471

Rotational analysis and assignment of the 3d → 1b$_1$ Rydberg complex in H_2O and D_2O
By R. D. Gilbert, M. S. Child and J. W. C. Johns 473

Classical trajectory calculation of transport and relaxation properties for CO_2–He mixtures
By C. C. K. Wong, E. E. Hanson and F. R. W. McCourt 497

Properties of flexible water models
By A. Wallqvist and O. Teleman 515

Electronic structure and transition probabilities in pure and Ce^{3+} doped BaF_2, an explorative study
By J. Andriessen, P. Dorenbos and C. W. E. Van Eijk 535

An improved Kirkwood superposition approximation for three atoms in rolling contact
By P. Attard 547

Resonance theoretical description of magnetic zero field splitting energies of benzenoid hydrocarbons. Structural dependance of the parameter *D*
By F. V. Trentini, J. Voitländer and C. Bräuchle 553

***Ab initio* study of the vibronic structure for the X^2B_1 and A^2A_1 electronic states of H_2O^+**
By W. Reuter, M. Perić and S. D. Peyerimhoff 569

Photopolymerization study of photoresists by ESR spectroscopy and ESR imaging
By J. Dahm, V. Macho, G. G. Maresch and H. W. Spiess 591

Effective interaction of highly charged plates in an electrolyte
By I. S. Sogami, T. Shinohara and M. V. Smalley 599

Structure and thermodynamics of hard *D*-dimensional spheres: overlap volume function approach
By D. J. Gonzalez, L. E. Gonzalez and M. Silbert 613

Monte Carlo study of dipolar ellipsoids. I. The isotropic phase
By G. J. Zarragoicoechea, D. Levesque and J. J. Weis 629

An infrared study of water vapour in the temperature range 573–723 K. Dimerization enthalpy and absorption intensities for monomer and dimer
By G. V. Bondarenko and Yu. E. Gorbaty 639

Diffusion processes in Brownian particle systems with short-range interaction
By J. Sonnenburg, D. Kremp and R. Sändig 649

A study of anisotropic pair distribution theories for Lennard-Jones fluids in narrow slits. Part II. Pair correlations and solvation forces
By R. Kjellander and S. Sarman 665

An investigation of the SO($X^3\Sigma^-$) molecule by multiphoton ionization spectroscopy
By M. Barnes, J. Baker, J. M. Dyke, M. Feher and A. Morris 689

Studies of the Gaussian model 1. The one-component system
By A. Baram and J. S. Rowlinson 707

NUMBER 4—NOVEMBER 1991

Investigation of a poly(oxyethylene) chain by a molecular dynamics simulation in an aqueous solution and by Langevin dynamics simulations
By M. Depner, B. L. Schürmann and F. Auriemma 715

First direct observation of orientationally correlated molecules in CO_2(l) by neutron diffraction
By A. K. Adya and C. J. Wormald 735

Molecular dynamics and NMR study of methane–water systems
By A. Laaksonen and P. Stilbs 747

On the anisotropy of diffusion in nematic liquid crystals: test of a modified affine transformation model via molecular dynamics
By S. Hess, D. Frenkel and M. P. Allen 765

Transport coefficients of nonspherical hard bodies: a kinetic theory approach
By G. T. Evans 775

'Slow-down' of diffusion coefficient in finite Brownian motion
By M. A. López-Quintela, C. Tojo and M. C. Buján-Núñez 785

Scavenger kinetics and the Laplace transform relationship. 1. Homogeneous systems
By N. J. B. Green and S. M. Pimblott 795

Scavenger kinetics and the Laplace transform relationship. 2. Nonhomogeneous kinetics
By N. J. B. Green and S. M. Pimblott 811

A new molecular theory of field gradient induced birefringence used for measuring electric quadrupole moments
By D. A. Imrie and R. E. Raab 833

Vibronic intensities in the electronic spectra of transition metal complex ions. Part IX. Experimental study of the relative vibronic intensities in the $^2E_g \rightarrow {}^4A_{2g}$ transition of the MnF_6^{2-} ion in Cs_2SiF_6
By R. Acevedo, S. O. Vasquez and C. D. Flint 843

Vibronic intensities in the electronic spectra of transition metal complex ions. Part X. Second order Herzberg–Teller contributions to the vibronic intensity of the $^4A_{2g} \leftrightarrow {}^4T_{2g}$ transition in MnF_6^{2-}
By R. Acevedo, S. O. Vasquez and C. D. Flint 853

C—H and C—D interbond coupling and Fermi resonance interactions in CHD_2Cl
By M. M. Law and J. L. Duncan 861

A study of molecular dynamics within liquid flows using fluorescence depolarization
By A. J. Kenyon, A. J. McCaffery, C. M. Quintella and J. F. Winkel 871

Microwave spectrum and *ab initio* calculations of ethylbenzene: potential energy surface of the ethyl group torsion
By W. Caminati, D. Damiani, G. Corbelli, B. Velino and C. W. Bock 885

Temperature effects on collision cross sections between some rovibrational states of ammonia gas perturbed by hydrogen and helium
By H. Aroui, M. Broquier, M. Chevalier, A. Picard-Bersellini and G. D. Billing 897

Unpaired electron density in an indolinonic nitroxide radical as determined by polarized neutron diffraction
By R. Caciuffo, O. Francescangeli, L. Greci, S. Melone, B. Gillon, M. Brustolon, A. L. Maniero, G. Amoretti and P. Sgarabotto 905

Research Notes

Diode laser infrared spectroscopy of jet-cooled hexacarbonyls of chromium, molybdenum, and tungsten
By J-R. Burie, P. B. Davies, G. M. Hansford, N. A. Martin, J. Gang and D. K. Russell 919

End-point sensitivity in quantum dynamic calculations
By L. Eno 923

Singularity of the HNC equation occurring at a very high density for hard spheres
By M. Kinoshita, M. Harada and A. Shioi 927

NUMBER 5—10 DECEMBER 1991

Invited Article: Viscoelastic surfactant solutions: model systems for rheological research
By H. Rehage and H. Hoffmann 933

NMR proton relaxation and chemical exchange in the system $H_2^{16}O/H_2^{17}O$–[$^2H_6$]dimethylsulphoxide
By B. C. Gordalla and M. D. Zeidler 975

Non-square tensor algebra and applications in the NMR of multiply connected spin systems: I
By G. J. Bowden, J. P. D. Martin and M. J. Prandolini 985

Non-square tensor algebra and applications in the NMR of multiply connected spin systems: II
By G. J. Bowden and M. J. Prandolini 999

On electron attraction
By D. Greenspan 1015

On 'cross' spectral moments of the collisional polarizabilities of rigid rotors
By W. Głaz 1019

The conformation of 2,2′-dithiophene in nematic solvents determined by ^{1}H-NMR
By L-C. Ter Beek, D-S. Zimmerman and E. E. Burnell 1027

***Ab initio* polarizability derivatives for methane: an application to Raman intensities of overtone and combination bands**
By A. T. Wong, G. B. Bacskay, N. S. Hush and M. P. Bogaard 1037

Non-local separable potential approach to multicentre interactions
By F. Dominguez-Adame, B. Méndez, E. Maciá and M. A. Gonzalez 1065

Dynamical decoupling in the quantum calculations of transport coefficients. I—coupled state results for He–N_2 gaseous mixtures
By F. A. Gianturco, S. Serna and N. Sanna 1071

Charged hard spheres in a uniform neutralizing background: the role of thermodynamic self consistence
By Z. Badirkhan, G. Pastore and M. P. Tosi 1089

Structure and elasticity of model gel networks
By M. J. Grimson 1097

Molecular dynamics model of adsorbed layer at a plane fluid interface
By E. Dickinson and E. G. Pelan 1115

A derivation of external fields that create step function density profiles at wall–fluid interfaces
By J. R. Henderson 1125

NUMBER 6—20 DECEMBER 1991

Low-lying electronic states of Ge_2^+: a pseudopotential MRD–CI study
By P. J. Bruna and F. Grein 1133

Paramagnetic closed-shell molecules: the isoelectronic series CH^+, BH and BeH^-
By P. W. Fowler and E. Steiner 1147

Correlations between orthorhombic crystal field parameters for rare-earth (f^n) and transition-metal (d^n) ions in crystals: $REBa_2Cu_3O_{7-x}$, $RE_2F_{14}B$, RE-garnets, RE : LaF_3 and MnF_2
By C. Rudowicz 1159

Vibrational energy transfer and pair dynamics in liquids: a kinetic theory study
By G. T. Evans and P. A. Madden 1171

Short-time diffusion of anisotropic particles in suspension—a perturbative approach
By R. L. Treloar and A. J. Masters 1195

Structure factor measurements of liquid Cl_2 at high temperatures
By M.-C. Bellissent-Funel, U. Buontempo, C. Petrillo and F. P. Ricci 1209

The influence of molecular biaxiality on intramolecular X-ray and neutron scattering from uniaxial nematic liquid crystals
By I. W. Hamley, G. R. Luckhurst and J. M. Seddon 1221

A new method for the determination of the dispersion of the second refractivity virial coefficient $b_R(\lambda)$ and its application to Ar, Kr, and CO_2
By U. Hohm 1233

***Ab initio* pseudopotentials for Hg through Rn. I. Parameter sets and atomic calculations**
By W. KÜCHLE, M. DOLG, H. STOLL and H. PREUSS 1245

***Ab initio* pseudopotentials for Hg to Rn. II. Molecular calculations on the hydrides of Hg to At and the fluorides of Rn**
By M. DOLG, W. KÜCHLE, H. STOLL, H. PREUSS and P. SCHWERDTFEGER 1265

The observation of fine-structure transitions in the SnH radical by diode laser spectroscopy
By W. ZIMMERMANN, U. SIMON, M. PETRI and W. URBAN 1287

Simple non-empirical calculations of the zero field splitting in transitions and metal systems. II. NiF_6^{4-} and Ni(II) complexes and mixed ligands
By C. RIBBING, M. ODELIUS and J. KOWALEWSKI 1299

Prediction of transport properties for Lennard-Jones fluids and their binary mixtures using the effective-diameter hard-sphere kinetic theory
By R. CASTILLO, A. VILLAVERDE and J. OROZCO 1315

Erratum 1335

Index of authors (with the titles of papers) 1337